मध्य प्रदेश में रेलवे से जुड़े जिला मुख्यालय

888. श्री राधाकिशन मालवीय : क्या रेल मंत्री यह बताने की कृपा करेंगे कि :

(क) मध्य प्रदेश के उन जिला मुख्यालयों के नाम क्या हैं, जिन्हें रेल सेवा से नहीं जोड़ा गया है और इन्हें रेल सेवा से कब तक जोड़ दिए जाने की संभावना है ; और

(ख) क्या सरकार ने ऐसी कोई योजना तैयार की है, जिसमें चरणबद्ध तरीके से जिला मुख्यालयों को रेल सेवा से जोड़ा जाएगा ?

रेल मंत्रालय में राज्य मंत्री (श्री मल्लिकार्जुन) : (क) मध्य प्रदेश में निम्नलिखित जिला मुख्यालय रेल नेटवर्क द्वारा सम्बद्ध नहीं है :

1. झबुआ
2. धार
3. राजगढ़
4. खरगौन
5. टीकमगढ़
6. छतरपुर
7. पन्ना
8. रीवा
9. सिधी
10. सरगुजा
11. रामसेन
12. मण्डला

बहरहाल 1991-92 के दौरान सतना-रीवा नयी बड़ी लाइन के पूरा हो जाने पर रेल नेटवर्क से रीवा जिला जोड़ दिया जायेगा और गोधरा-दाहोद इंदौर और देवास-मक्सी नयी लाइन परियोजना के पूरा हो जाने पर झबुआ एवं धार जिला मुख्यालय को रेल नेटवर्क के साथ जोड़ दिया जायेगा।

(ख) जी नहीं।

बिलासपुर रेलवे मण्डल के अन्तर्गत तीसरी रेल-लाइन का बिछाया जाना

889. श्री लक्खीराम अग्रवाल : क्या रेल मंत्री यह बताने की कृपा करेंगे कि :

(क) क्या सरकार बिलासपुर रेलवे मण्डल के अन्तर्गत तीसरी रेल लाइन बिछाने का विचार रखती है ; और

(ख) यदि हां, तो उन स्थानों के नाम क्या हैं जिनके मध्य इस रेल लाइन के बिछाए जाने का प्रस्ताव है और इस परियोजना संबंधी कार्य के कब तक शुरू हो जाने की संभावना है ?

रेल मंत्रालय में राज्य मंत्री (श्री मल्लिकार्जुन) : (क) जी हां।

(ख) 36 करोड़ रुपये की लागत पर बिलासपुर और अकलतरा (27 कि.मी.) के बीच रेल लाइन बिछाने का प्रस्ताव है। 1991-92 के रेल बजट को संसद द्वारा अनुमोदित कर दिए जाने के बाद कार्य शुरू किया जाएगा।

Construction of Railway Bridge at Vasco da Gama, Goa

889. SHRI JOHN F. FERNANDES: Will the Minister of RAILWAYS be pleased to state:

(a) whether Government are aware of the request of Goa Government to construct a railway bridge for local traffic at Vasco da Gama, Goa; and

(b) if so, what is the position of this matter, when it was sanctioned and how long would it take to implement it?

THE MINISTER OF STATE IN THE MINISTRY OF RAILWAYS (SHRI MALLIKARJUN): (a) Yes, Sir. The Government of Goa has requested for construction of a road-overbridge at Km 106/5-6 between Dabolim and Vasco-da-gama stations, on deposit terms.

(b) The plan for the work has been finalised in consultation with the State

Government. The work will be taken up for execution, only after the State Government deposits the estimated cost of the work.

Stoppage of Goa Express

890. SHRI JOHN F. FERNANDES: Will the Minister of RAILWAYS be pleased to state:

(a) whether Government are aware of great demand from railway commuters at Curchorem, Goa to have a five minutes stop for 'Goa Express'; and

(b) if so, what steps Government have taken to this effect to avoid further "rail roko" dharnas at this station?

THE MINISTER OF STATE IN THE MINISTRY OF RAILWAYS (SHRI MALLIKARJUN): (a) Yes, Sir.

(b) The demand has been examined but not found justified having regard to the Superfast Express character of the service.

Water Supply

891. SHRI V. NARAYANASAMY: Will the Minister of URBAN DEVELOPMENT be pleased to state:

(a) whether it is a fact that Delhi is starved of water supply for the last one month; and

(b) if so, what measures Government is taking for regular water supply in and around Delhi?

THE MINISTER OF STATE IN THE MINISTRY OF URBAN DEVELOPMENT (SHRI M. ARUNACHALAM): (a) The water supply in Delhi is inadequate, keeping in view the requirement of the preesnt population at the prescribed norms, and the available supply of drinking water. Difficulties are experienced during the summer Season in a number of areas, especially those situated at the tail end of the distribution system, or at places situated at higher elevation and in the J.J. clusters.

(b) As per statement attached. [*See* below)

Statement

(i) Construction of second 100 MGD Water Treatment Plant at Haiderpur has been started;

(ii) Construction work of 40 MGD Water Treatment Plant at Nangloi has been awarded;

(iii) Construction of 20 MGD Water Treatment Plant near Bhavana Escape has been proposed;

(iv) Discussions with Haryana Government are in progress for the supply of adequate raw water to above plants in exchange for treated effluent;

(v) Construction of 5 Ranney Wells in Alipur Block is in progress. In addition, 27 tube wells have been installed and 15 more tube wells will be energised shortly;

(vi) Steps have been taken to rationalise the distribution system. Ground reservoir and booster pumping stations have been commissioned in 7 colonies and are likely to be commissioned shortly in 2 more colonies. This work is in progress in 4 colonies and is also being planned for 5 more colonies as soon as the land become available.

(vii) Steps have also been taken for detection of leakage of water and to minimise the leakage. 23 shallow tube wells have been installed for horticulture purposes to have filtered water. 101 open wells in City and Sadar Paharganj (S. P. Zone) are also provided with submersible pumping sets to supply water for horticulture purposes; and

(viii) Water supply arrangements in resettlement colonies, J. J. clusters and regularised unauthorised colonies are being continuously improved through tube wells, handpumps/hydrants, and water supply connections according to prescribed norms.